Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S14 7	1	("20040243597").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/04/19 11:06
S14 8	548	animation adj object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/05/01 16:07
S14 9	32	animation adj object and "707/". ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S15 0	47	model adj referencing	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S15 1	10	model adj reuse and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S15 2	6	animation adj object\$oriented	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S15 3	6	animat\$3 adj object\$oriented	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S15 4	120	animat\$3 with object\$oriented	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S15 5	402	object same reference same attribute same file and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06

S15 6	68	object same reference same attribute same file same model and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S15 7	172	object same reference same attribute same file same model	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S15 8	6	object same (model adj2 reference) same attribute same file	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR .	ON	2007/04/19 11:06
S15 9	169	(object adj2 reference) same attribute same file	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S16 0	23	(object adj2 reference) same attribute same file same model	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S16 1	10	create with model with reference with object same attribute	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S16 2	84	create with model with reference with object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S16 3	95	object\$oriented with animation	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S16 4	17	change attribute referenced object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	WITH ⁻	ON	2007/04/19 11:06
S16 5	649	hierarch\$4 with (object adj2 model)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	WITH	ON	2007/04/19 11:06

				1		<u> </u>
S16 6	507	hierarch\$4 with (object adj model)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	WITH	ON	2007/04/19 11:06
S16 7	67	hierarch\$4 with (object adj model) same attribute	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	WITH	ON	2007/04/19 11:06
S16 8	1	generic with object with referenc\$2 with (public adj attribute) and ((latest or current) adj version)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	WITH	ON	2007/04/19 11:06
S16 9	1	generic with object with referenc\$2 same (public adj attribute) and ((latest or current) adj version)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	WITH	ON	2007/04/19 11:06
S17 0	1	object with referenc\$2 same (public adj attribute) and ((latest or current) adj version)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	WITH	ON	2007/04/19 11:06
S17 1	313	object with referenc\$2 same (attribute) and ((latest or current) adj version)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	WITH	ON	2007/04/19 11:06
S17 2	. 2	generic with object with referenc\$2 same (attribute) and ((latest or current) adj version)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	WITH	ON	2007/04/19 11:06
S17 3		object with referenc\$2 same (public adj attribute)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	WITH	ON	2007/04/19 11:06
S17 4	244	(object adj referenced)same attribute	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S17 5	5	(object adj referenced)same attribute adj (changed or modified or specified or defined)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06

S17	47	(abject adj referenced)came new	US-PGPUB;	OR	ON	2007/04/19 11:06
6	4/	(object adj referenced)same new adj object	USPAT; USOCR; EPO; IBM_TDB	OK .	ON	2007/07/13 11.00
S17 7	47	(object adj referenced)same (new adj object)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S17 8	116	(object adj referenced)with attribute	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S17 9	2	modelreference	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S18 0	1	(local adj instance) with (public same attribute)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S18 1	2	(local adj instance) same (public same attribute)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S18 2	1	(local adj instance) same (public adj attribute)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S18 3	10	propagat\$3 adj change adj object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S18 4	185	(propagat\$3 adj change) with object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S18 5	6	(propagat\$3 adj change) with object with attribute	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06

S18 6	19	object\$oriented same (store adj object) with file	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S18 7	5	geometrically with couple with object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR ·	ON	2007/04/19 11:06
S18 8	15	geometrically with coupling with object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S18 9	205	reference with second with object with attributes	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S19 0	46	reference with second with object with attributes and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S19 1	206	reference with second with object with file	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S19 2	9	reference with second with object with file with attribute	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON .	2007/04/19 11:06
S19 3	34	file with describing with second with object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S19 4	250	file with describing adj3 object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S19 5	193	file with describing adj2 object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06

S19 6	103	file with describing adj object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S19 7	3	file with describing with second adj object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S19 8	44	file adj2 describing adj2 object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S19 9	782	object\$oriented same template	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S20 0	270	object\$oriented with template	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S20 1	6	(model adj referencing) same object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR ,	ON	2007/04/19 11:06
S20 2	87	shared adj component and "707/". ccls. and object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S20 3	96	shared adj component and "707/". ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S20 4	165	(objects with storage adj system) same reference\$2 and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S20 5	165	(object with storage adj system) same reference\$2 and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06

S20 6	16	(object with storage adj system) same (reference\$2 adj object) and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S20 7	1	customize adj referred adj object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S20 8	1	customize with referred adj object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON .	2007/04/19 11:06
S20 9	12	customize with referred with object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S21 0	1	("6175948").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/04/19 11:06
S21 1	1	("5970252").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/04/19 11:06
S21 2	1	("20040243597").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/04/19 11:06
S21 3	1	("20020120924").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/04/19 11:06
S21 4	267	file near2 descri\$5 adj2 object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S21 5	14	store with file near2 descri\$5 adj2 object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06

S21 6	5	store with file near2 descri\$5 adj2 object same reference	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S21 7	5	store with file near2 descri\$5 adj2 object same referenc\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S21 8	17	(stor\$3 or sav\$3) near4 file near2 descri\$5 adj2 object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S21 9	1	("6182279").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/04/19 11:06
S22 0	11	("6182279").URPN.	USPAT	OR	ON	2007/04/19 11:06
S22 1	1	("6141595").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/04/19 11:06
S22 2	1	("20030167456").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/04/19 11:06
S22 3	1	("7082597").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/04/19 11:06
S22 4	1	("20030208583").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/04/19 11:06
S22 <u>.</u> 5	1	("6594623").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/04/19 11:06
S22 6	1	("6738783").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/04/19 11:06
S22 7	1	("6125442").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/04/19 11:06

S22 8	17	"1015966"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/04/19 11:06
S22 9	1	"9826349"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S23 0	921	(template or file) with stor\$3 with reference with object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S23 1	54	(template or file) with stor\$3 with reference with object with descri\$5	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S23 2	76	(template or file) with stor\$3 with referenc\$3 with object with descri\$5	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S23 3	8	(template or file) with stor\$3 with referenc\$3 with object with descri\$5 with attribute	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S23 4	10	(template or file) with stor\$3 with referenc\$3 with object with descri\$5 with (attribute or modification)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S23 5	27	(sav\$3 or stor\$3) with (reference or pointer) with object with (modifi\$6 or changes) with attribute	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S23 6	27	(sav\$3 or stor\$3) with (reference or pointer) with object with (modifi\$6 or changes) with attribute	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06

		EAST SearC	560. ,			
S23 7	1	reference with base adj object adj model	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S23 8	63	base adj object adj model	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S23 9	4	(reference or pointer) with ((base or generic) adj (object adj model))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S24 0	5	modify with attribute with value with object with (template or file)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S24 1	192	(sav\$3 or stor\$3) with (reference or pointer) near2 object with (modifi\$6 or change)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S24 2	192	(sav\$3 or stor\$3) with (reference or pointer) near2 object with (modifi\$6 or change or over\$ride)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S24 3	21	(sav\$3 or stor\$3) with (reference or pointer) near2 object with (modifi\$6 or change or over\$ride) with (file template)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S24 4	100	(sav\$3 or stor\$3) with (reference or pointer) adj2 object with (modifi\$6 or change or over\$ride)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S24 5	7	shar\$3 with object with attribute same extensible	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S24 6	533	(shar\$3 inherit) with object with attribute same (extensible inherit\$4)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06

S24 7	178	(shar\$3 inherit) with object with attribute same (modif\$7 change override)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S24 8	3	(shar\$3 inherit) with object with attribute same (modif\$7 change override) same pointer	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON ·	2007/04/19 11:06
S24 9	41	(shar\$3 inherit) with object with attribute same (modif\$7 change override) same (pointer reference)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S25 0	18	(shar\$3 inherit) with object with attribute same (modif\$7 change override) same (pointer reference) same (file template)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S25 1	174	stor\$3 with (pointer reference) with (attribute modif\$7) with (together)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S25 2	77	stor\$3 with (pointer reference) with (attribute modif\$7) with (together) same object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S25 3	57	stor\$3 with (pointer reference) with (attribute modif\$7) with (together) with object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S25 4	4	stor\$3 near2 (pointer reference) near2 (attribute modif\$7) with (together)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S25 5	2	stor\$3 near2 (pointer reference) near2 (attribute modif\$7) with (together) same object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S25 6	547	storage adj system with file with object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06

S25	23	storage adj system with file with	US-PGPUB;	OR	ON	2007/04/19 11:06
7	23	storage adj system with file with object with reference	USPAT; USOCR; EPO; IBM_TDB	OK .	ON	
S25 8	69	file near2 describing near2 object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S25 9	21	file near2 describing near2 object same stor\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/04/19 11:06
S26 0	1	("6563503").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/04/20 15:59
S26 1	1	("6738783").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/05/01 16:40
S26 2	0	("199632833").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/05/01 16:41
S26 3	0	("1998026349").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/05/01 16:41
S26 4	0	"199632833"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/05/01 16:42
S26 5	0	"1998026349"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/05/01 16:42